

MARYLAND DEPARTMENT OF THE ENVIRONMENT

LEAD PAINT RISK REDUCTION

INSPECTION CERTIFICATE NO. 165268

NOTE: This inspection certificate is not valid unless it contains the Owner #

139690 MDE OWNER # 090826041780013 MDE PROPERTY # SINGLE UNIT # DOWLING, THOMAS J. OWNER NAME
 3224 RAVENWOOD AVE. BALTIMORE MARYLAND 21213 Zip
 Property Address City State (County)

The inspector must check inspection category # 1, 2, 3 or 4. Check ONE and ONLY one. Also check appropriate option or method(s) chosen or used. The following attachments are required: Dust test, Form C; Visual inspection, Form B; Lead Free, Form E. Provisional or limited certificates are issued pursuant to a waiver for exterior work for a specific time frame and will be invalid after the expiration date unless a Form D is completed and returned to the Department within 10 days of that expiration date. Any re-inspections require a Form D be submitted to MDE. The original Inspection Certificate No. should be referenced on all Forms submitted.

Inspection Category	Options or Methods		
	Dust Test	Interior AND Exterior Method B	Exterior Waiver Method C
(X) 1. Lead Free	Option A: One Time Only [x] or Option B: Limited [] If Limited Re-certification Required by / /		Expiration Date Applied only if Provisional
() 2. Full Risk Reduction	Method A []	or []	[] Provisional
() 3. Modified Risk Reduction	[]	or []	[] Provisional
() 4. Lead Safe	[]	and []	[] Provisional
	Satisfactory Visual Inspection		

PASS Based on the findings of the attached inspection report(s) I certify that the property/unit meets the certification criteria at this time.

FAIL Based on the findings of the attached inspection report(s), the property/unit fails to meet certification criteria at this time.

I certify that I inspected the above listed property/unit on 6 / 21 / 00 at 11 : 15 a.m. p.m. under Title 6, Subtitle 8 of the Environment Article, Annotated Code of Maryland.

Inspector's Signature: *[Signature]* Inspection Company: SCIENTIFIC TESTING LABS. Accreditation No. 4566
 Accreditation No. 4567