

Lot Number	Title	Description
0	Preview & Removal Information	<p>This Auction Requires Additional Registration For Bidding. Please Call Lemons Auctioneers At (281)357-4977 To Be Approved For Bidding Once Auction Registration And Review Of Terms & Conditions Is Complete.</p> <p>All purchases will be subject to a 13% buyer's premium.</p> <p>Preview: (By Appointment Only-Mandatory-No Exceptions)Thursday, April 25, 2019 (Hours Of Operation: 8:00 a.m. - 4:30 p.m.)</p> <p>Location: <u>Bidders Must Contact Lemons Auctioneers At (281)357-4977 For Auction Location Information</u></p> <p>Removal:(By Appointment Only-Mandatory-No Exceptions) Wednesday, May 1, 2019/Thursday, May 2, 2019/Friday, May 3, 2019 (Hours Of Operation: 8:00 a.m. - 4:30 p.m.)</p> <p>Preview & Removal Contact: John Bridges, john.bridges@fortbendis.com, 281-634-1817 Joel Lopez, joel.lopez@fortbendis.com, 281-634-1819</p> <p>Removal Information: -Auction location is an active work site. Anyone coming onto the site MUST have long pants, closed toed shoes, hard hat, safety glasses and safety vest. Auction facility will not provide these items. Buyer solely responsible for bringing their own safety equipment to auction location in order to gain entrance. -All vehicles and trailers that come onto the work site must provide current insurance. A copy will be made at the safety orientation. - Any machinery that comes onto the work site to assist with loading or removal must have a daily equipment check performed and the operator must be licensed to operate the equipment **Non-compliance with any of the aforementioned procedures will result in dismissal from the work site and no refunds will be issued. **Important Removal Notes: - Scheduled Removal Dates & Times Are Strictly Enforced - Removals Are By Appointment Only - No Walk-Ins - No Same Day Appointments - No Date Or Time Extensions On Any Removals - Lots Not Removed By Deadline Date Will Be Forfeited Without A Refund - Hard Copy Of Paid Receipt Required At Time Of Appointment</p> <p>This Auction Requires Additional Registration For Bidding. Please Call Lemons Auctioneers At (281)357-4977 To Be Approved For Bidding Once Auction Registration And Review Of Terms & Conditions Is Complete.</p>
1	(Lot) Rebar Chairs & Beam Stirrups	<p>Including: (1 Bundle) Rebar Chairs, Wall Ties - Qty: Unknown , (Approx. 20 Bundles) Beam Stirrups - Assorted Sizes, (1 Pallet) 18"/ 3/4" Slick Dowels, (Approx. 2 Pallets) Sleeves For Dowels, All Items Are Unused - All Items Have Been Sitting Outside For Approx. 1 Year - No Forklift Is Available - Buyer Must Supply Own Loading Equipment - Bidder Must Review & Agree To Removal Instructions Prior To Bidding</p> <p>- Current Condition Unknown</p>
2	(Lot) Rebar	<p>Including: #4's, #8's, #10's, #6's & Some Various Straight Bars - Some W/ 18" Hook - Some Have Hooks On Both Ends, Beam Stirrups, L Bars - Has Been Sitting Outside For Approx. 1 Year - Bidder Must Review & Agree To Removal Instructions Prior To Bidding</p> <p>- Current Condition Unknown</p>
3	(Lot) Piers Cages	<p>Including: (Approx. 12) Pier Cages That Are Tied - Approx. 50' Long, #4's - Qty: Unknown, #8's - Qty: Unknown, #10's - Qty: Unknown, Beam Ties - Qty: Unknown - Has Been Sitting Outside For Approx. 1 Year - Bidder Must Review & Agree To Removal Instructions Prior To Bidding</p> <p>- Current Condition Unknown</p>
4	(Lot) Pier Cages	<p>(Approx. 14) Approx. Size: 10' Long - Piers That Are Tied - Has Been Sitting Outside For Approx. 1 Year - Bidder Must Review & Agree To Removal Instructions Prior To Bidding</p> <p>- Current Condition Unknown</p>
5	(Lot) 10' Gauge Wire Mesh	<p>Approx. Size: 8' X 20' - Qty: Unknown - Unused - Has Been Sitting Outside Approx. 1 Year - Unused - Has Been Sitting Outside For Approx. 1 Year - Bidder Must Review & Agree To Removal Instructions Prior To Bidding</p> <p>- Current Condition Unknown</p>
6	(Lot) Bar /Steel Joist	<p>Including: (Approx. 9) Approx. Size: 1'10" X 43' Long, (Approx. 25) Approx. Size: 3' X 70' Long - Unused - Has Been Sitting Outside For Approx. 1 Year - Bidder Must Review & Agree To Removal Instructions Prior To Bidding</p> <p>- Auction Company & Fort Bend ISD Will Not Guarantee The Accuracy Of The Measurements Or Quantity Of Auction Lot - Current Condition Unknown</p>

7	(Lot) Bar /Steel Joist	Including: (Approx. 16) Approx. Size: 1'10" X 43' Long - Unused - Has Been Sitting Outside For Approx. 1 Year - Bidder Must Review & Agree To Removal Instructions Prior To Bidding - Auction Company & Fort Bend ISD Will Not Guarantee The Accuracy Of The Measurements Or Quantity Of Auction Lot - Current Condition Unknown
8	(Lot) Corrugated Metal Decking	Including: (Approx. 6) Approx. Size: 18' X 6&5/8", (Approx. 2) Approx. Size: 21' X 11&1/4", (Approx. 13) Approx. Size: 32' X 4&3/4", Mfg.: Nucor - Has Been Sitting Outside For Approx. 1 Year - Bidder Must Review & Agree To Removal Instructions Prior To Bidding - Auction Company & Fort Bend ISD Will Not Guarantee The Accuracy Of The Measurements Or Quantity Of Auction Lot - Current Condition Unknown
9	(Lot) Corrugated Metal Decking	Including: (Approx. 6) Approx. Size: 24' - 4&3/4", (Approx. 15) Approx. Size: 31' - 11&5/8", Mfg.: Nucor - Has Been Sitting Outside For Approx. 1 Year - Bidder Must Review & Agree To Removal Instructions Prior To Bidding - Auction Company & Fort Bend ISD Will Not Guarantee The Accuracy Of The Measurements Or Quantity Of Auction Lot - Current Condition Unknown
10	(Lot) Energy Shield Pro Continuous Wall Insulation	(Approx. 86 Pieces) Mfg.: Rigid Polyiso Foil Faced Foam Board - ASTM C1289 - Type 1 - Class 1 - Approx. Size: 8' X 4' - Some Pieces Are Damaged - Has Been Sitting Outside For Approx. 1 Year (Has Plastic Cover Over Bundles) - Bidder Must Review & Agree To Removal Instructions Prior To Bidding - Auction Company & Fort Bend ISD Will Not Guarantee The Accuracy Of The Measurements Or Quantity Of Auction Lot - Current Condition Unknown
11	(Lot) Corrugated Metal Decking	(Approx. 10) Approx. Size: 38' - 00&0/0" - Mfg.: Nucor - Has Been Sitting Outside For Approx. 1 Year - Bidder Must Review & Agree To Removal Instructions Prior To Bidding - Auction Company & Fort Bend ISD Will Not Guarantee The Accuracy Of The Measurements Or Quantity Of Auction Lot - Current Condition Unknown
12	(Lot) Corrugated Metal Decking	(Approx. 22) Approx. Size: 26' - 06&0/0" - Mfg.: Nucor - Unused - Has Been Sitting Outside For Approx. 1 Year - Bidder Must Review & Agree To Removal Instructions Prior To Bidding - Auction Company & Fort Bend ISD Will Not Guarantee The Accuracy Of The Measurements Or Quantity Of Auction Lot - Current Condition Unknown
13	(Lot) Corrugated Metal Decking	(Approx. 15) Approx. Size: 25' - 02&0/0" - Mfg.: Nucor - Unused - Has Been Sitting Outside For Approx. 1 Year - Bidder Must Review & Agree To Removal Instructions Prior To Bidding - Auction Company & Fort Bend ISD Will Not Guarantee The Accuracy Of The Measurements Or Quantity Of Auction Lot - Current Condition Unknown
14	(Lot) Angle Iron	Approx. Size: 1" X 1" - Qty: Unknown - Unused - Has Been Sitting Outside For Approx. 1 Year - Bidder Must Review & Agree To Removal Instructions Prior To Bidding - Auction Company & Fort Bend ISD Will Not Guarantee The Accuracy Of The Measurements Or Quantity Of Auction Lot - Current Condition Unknown
15	(Lot) Bar Joist & Some Angle Iron	Including: (Approx. 20) Bar Joist - Approx. Size: 52' Long X 2'4" Wide, W/ Some Angle Iron - Qty: Unknown - Has Been Sitting Outside For Approx. 1 Year - Bidder Must Review & Agree To Removal Instructions Prior To Bidding - Auction Company & Fort Bend ISD Will Not Guarantee The Accuracy Of The Measurements Or Quantity Of Auction Lot - Current Condition Unknown
16	(Lot) Rebar	Including: #8 - Size Unknown, #4- Size Unknown, #10 - Approx. 50 Long, Single Hook Bars, Qty: Unknown For All - Auctioneer Recommends Preview For This Lot - Has Been Sitting Outside For Approx. 1 Year - Bidder Must Review & Agree To Removal Instructions Prior To Bidding - Auction Company & Fort Bend ISD Will Not Guarantee The Accuracy Of The Measurements Or Quantity Of Auction Lot - Current Condition Unknown
17	(Lot) Corrugated Metal Decking	(3 Bundles) Including: (#1 Bundle Includes): (Approx. 4 Pieces) Approx. Size: 22' - 10&0/0", (Approx. 4 Pieces) Approx. Size: 23'-02&0/0", (Approx. 4 Pieces) 28'-11&0/0", (#2 Bundle Includes): (Approx. 11 Pieces) Approx. Size: 23'-02&0/0", (Approx. 11 Pieces) Approx. Size: 28'-11&0/0", (#3 Bundle Includes): (Approx. 13 Pieces) Approx. Size: 16', (Approx. 4 Pieces) 34' - Has Been Sitting Outside For Approx. 1 Year - Bidder Must Review & Agree To Removal Instructions Prior To Bidding - Auction Company & Fort Bend ISD Will Not Guarantee The Accuracy Of The Measurements Or Quantity Of Auction Lot - Current Condition Unknown
18	(Lot) Rebar	Including: Pier Spirals - Qty: Unknown, #8's - Qty: Unknown, #3's - Qty: Unknown, All Are Approx. Size: 10' - Unused - Has Been Sitting Outside For Approx. 1 Year - Bidder Must Review & Agree To Removal Instructions Prior To Bidding - Auction Company & Fort Bend ISD Will Not Guarantee The Accuracy Of The Measurements Or Quantity Of Auction Lot - Current Condition Unknown

19	(Lot) Bar /Steel Joist	(Approx. 25 Pieces) Approx. Size: 1'4" X 10" X 13' Long, Approx. 10' Long, & Approx. 26' Long - Has Been Sitting Outside For Approx. 1 Year - Bidder Must Review & Agree To Removal Instructions Prior To Bidding - Auction Company & Fort Bend ISD Will Not Guarantee The Accuracy Of The Measurements Or Quantity Of Auction Lot - Current Condition Unknown
20	(Lot) Bar /Steel Joist	(Approx. 4) Approx. Size: 2'6" - Approx. 50' Long - Has Been Sitting Outside For Approx. 1 Year - Bidder Must Review & Agree To Removal Instructions Prior To Bidding - Auction Company & Fort Bend ISD Will Not Guarantee The Accuracy Of The Measurements Or Quantity Of Auction Lot - Current Condition Unknown
21	(Lot) Corrugated Metal Decking	Including: (Approx. 12 Pieces) Approx. Size: 19'-00&0/0", (Approx. 14 Pieces) Approx. Size: 22'-00&0/0", (Approx. 23 Pieces) Approx. Size: 20' Long - Unable To Read Label, (1 Piece) Approx. Size: 21'-4&0/0", (Approx. 2 Pieces) Approx. Size: 6'-00&0/0", (Approx. 12 Pieces) Approx. Size: 22'-11&1/2", (1 Piece) Approx. 23'-00&0/0", (Approx. 2 Pieces) Approx. 20' Long - Has Been Sitting Outside For Approx. 1 Year - Bidder Must Review & Agree To Removal Instructions Prior To Bidding - Auction Company & Fort Bend ISD Will Not Guarantee The Accuracy Of The Measurements Or Quantity Of Auction Lot - Current Condition Unknown
22	(Lot) Corrugated Metal Decking	Including: (Approx. 3 Pieces) Approx. Size: 32' Long, (Approx. 4 Pieces) Approx. Size: 34'-07&3/4", (Approx. 11 Pieces) Approx. Size: 35'-10&1/4", (Approx. 11 Pieces) Approx. Size: 25' Long, (Approx. 24 Pieces) Approx. Size: 23'-02&0/0", (Approx. 9 Pieces) 23' Long - Loose - Not Bundled - Has Been Sitting Outside For Approx. 1 Year - Bidder Must Review & Agree To Removal Instructions Prior To Bidding - Auction Company & Fort Bend ISD Will Not Guarantee The Accuracy Of The Measurements Or Quantity Of Auction Lot - Current Condition Unknown
23	(Lot) Corrugated Metal Decking	Including: (#1 Bundle Includes): (Approx. 23 Pieces) Approx. Size: 28'-03&0/0", (Approx. 15 Pieces) Approx. Size 30', (Approx. 15 Pieces) Approx. Size: 28', (1) Single Piece - Approx. Size: 28' - Has Been Sitting Outside For Approx. 1 Year - Bidder Must Review & Agree To Removal Instructions Prior To Bidding - Auction Company & Fort Bend ISD Will Not Guarantee The Accuracy Of The Measurements Or Quantity Of Auction Lot - Current Condition Unknown
24	(Lot) Corrugated Metal Decking	Including: (Approx. 20 Pieces) Approx. 24' Long, (Approx. 7 Pieces) Approx. Size: 24' Long - No Label, (Approx. 23 Pieces) Approx. Size: 26'-06&0/0", (Approx. 4 Pieces) Approx. Size: 12'-00&0/0", (Approx. 5 Pieces) Approx. Size: 12'-11&0/0", (Approx. 8 Pieces) Approx. Size: 16'-00&0/0", (Approx. 5 Pieces) Approx. Size: 17'-11&0/0" - Has Been Sitting Outside For Approx. 1 Year - Bidder Must Review & Agree To Removal Instructions Prior To Bidding - Auction Company & Fort Bend ISD Will Not Guarantee The Accuracy Of The Measurements Or Quantity Of Auction Lot - Current Condition Unknown
25	(Lot) Pier Cages & Stirrup Ties	Including: (Approx. 6) Approx. Size: 50' Long - Tied, Stirrup Ties - Qty: Unknown - Has Been Sitting Outside For Approx. 1 Year - Bidder Must Review & Agree To Removal Instructions Prior To Bidding - Auction Company & Fort Bend ISD Will Not Guarantee The Accuracy Of The Measurements Or Quantity Of Auction Lot - Current Condition Unknown
26	(Lot) Pier Cages	(Approx. 15) Tied - Approx. 51' Long - Sizes Are Not Deemed Accurate On All Cages - Unused - Has Been Sitting Outside For Approx. 1 Year - Bidder Must Review & Agree To Removal Instructions Prior To Bidding - Auction Company & Fort Bend ISD Will Not Guarantee The Accuracy Of The Measurements Or Quantity Of Auction Lot - Current Condition Unknown
27	(1) Cook Exhaust Roof Top Vent	Model: 225 ACE 225C 9B - Serial #: 175SH64103-00/0090501 - Input: 460 - Input Phase 3 - 60 Hz - 2 HP - 1725 RPM - Unused - Has Been Sitting Outside For Approx. 1 Year - Bidder Must Review & Agree To Removal Instructions Prior To Bidding - Auction Company & Fort Bend ISD Will Not Guarantee The Accuracy Of The Measurements Or Quantity Of Auction Lot - Current Condition Unknown
28	(1) Cook Vent	Model: Special OR 34X34 GR Alum. - Serial #: 175SH64103-00/0084001 - Date: Aug. 2018 - Has Been Sitting Outside For Approx. 1 Year - Bidder Must Review & Agree To Removal Instructions Prior To Bidding - Auction Company & Fort Bend ISD Will Not Guarantee The Accuracy Of The Measurements Or Quantity Of Auction Lot - Current Condition Unknown
29	(1) Cook Industrial Exhaust Roof Top Vent	Input Voltage: 460 - Phase 3 - 60 Hz - 1500 HP - 1725 RPM - Model: 365 ACE - Has Been Sitting Outside For Approx. 1 Year - Bidder Must Review & Agree To Removal Instructions Prior To Bidding - Auction Company & Fort Bend ISD Will Not Guarantee The Accuracy Of The Measurements Or Quantity Of Auction Lot - Current Condition Unknown
30	(1) Cook Industrial Exhaust Roof Top Vent	W/ Vent Louver - Model: 365 ACE 365 C8B - Input: 460 - 3 Phase - 60 Hz - RPM: 1500-1725 - Mfg. Date: Aug. 2018 - Has Been Sitting Outside For Approx. 1 Year - Bidder Must Review & Agree To Removal Instructions Prior To Bidding - Auction Company & Fort Bend ISD Will Not Guarantee The Accuracy Of The Measurements Or Quantity Of Auction Lot - Current Condition Unknown

31	(Lot) Roof Curbs	(Approx. 4) Including: (1) Approx. Size: 42" X 60" X 12", (1) 14" X 33&3/4" X 40&1/2", (1) 38" X 12" X 31&1/4" - DT-SF, (1) 40&1/2" X 14" X 33&3/4" -Has Been Sitting Outside For Approx. 1 Year - Bidder Must Review & Agree To Removal Instructions Prior To Bidding - Auction Company & Fort Bend ISD Will Not Guarantee The Accuracy Of The Measurements Or Quantity Of Auction Lot - Current Condition Unknown
32	(Lot) Steel Pipe	(Approx. 31 Pieces) Assorted Sizes - Assorted Fittings - Used - Has Been Sitting Outside For Approx. 1 Year - Bidder Must Review & Agree To Removal Instructions Prior To Bidding - Auction Company & Fort Bend ISD Will Not Guarantee The Accuracy Of The Measurements Or Quantity Of Auction Lot - Current Condition Unknown
33	(Lot) Gate Valves	(Approx. 5) Nibco - LD2000/Stem: SS Disc: AB - EPDM Seat - Mfg. Date: 2018 - 200 CWP/250F Max - Body: D1 - Unused - Has Been Sitting Outside For Approx. 1 Year - Bidder Must Review & Agree To Removal Instructions Prior To Bidding - Auction Company & Fort Bend ISD Will Not Guarantee The Accuracy Of The Measurements Or Quantity Of Auction Lot - Current Condition Unknown
34	(Lot) Concrete Hollow Core Planks	(Approx. 200+) Approx. Size: 10" & 8" - Mfg.: Gates Pre Cast - Various Sizes: 24'7" X 4'-0"/CAT. 1330 - Some Various Other Size Planks - Will Need Crane For Loading - Has Been Sitting Outside For Approx. 1 Year - Bidder Must Review & Agree To Removal Instructions Prior To Bidding - Auction Company & Fort Bend ISD Will Not Guarantee The Accuracy Of The Measurements Or Quantity Of Auction Lot - Current Condition Unknown
35	(Lot) I-Beams/I-Columns	Qty: Unknown - Sizes Including: 40', 33', 27' & Various Other Sizes - Misc. Roof Steel Penetration - Used & Unused - Preview Recommended - Color: Red - Located In Various Locations In Back Of Facility - Has Been Sitting Outside For Approx. 1 Year - Bidder Must Review & Agree To Removal Instructions Prior To Bidding - Were Purchased For A Building Approx. 15,000 Sq. Ft. - Unknown If Complete - Auction Company & Fort Bend ISD Will Not Guarantee The Accuracy Of The Measurements Or Quantity Of Auction Lot - Current Condition Unknown
36	(Lot) HDPE Pipe	(Approx. 13) Approx. Size: 21' Long & 7' Long, Assorted Widths: 24", 36", 50" Pipe - Has Been Sitting Outside For Approx. 1 Year - Bidder Must Review & Agree To Removal Instructions Prior To Bidding - Auction Company & Fort Bend ISD Will Not Guarantee The Accuracy Of The Measurements Or Quantity Of Auction Lot - Current Condition Unknown
37	(Lot) Sprinkler Pipe	(Approx. 45) Approx. Sizes Including: 1&1/2", 4", 6" Steel Pipe - Sizes Include: 20" Long & Various Sizes - Piece Sprinkler Pipe/20' Long & Some 10' Long & Small Sizes - Has Been Sitting Outside For Approx. 1 Year - Bidder Must Review & Agree To Removal Instructions Prior To Bidding - Auction Company & Fort Bend ISD Will Not Guarantee The Accuracy Of The Measurements Or Quantity Of Auction Lot - Current Condition Unknown
38	(Lot) Wall Studs	Intertek Structural Certified Code Compliant: Structural Stud 6" & Assorted Lengths - W/ Some Angles 2X3 - Qty: Unknown, Nucor 33-PS98, PS99 Decking & Various Other Sizes & Material - Qty: Unknown - Has Been Sitting Outside For Approx. 1 Year - Bidder Must Review & Agree To Removal Instructions Prior To Bidding - Auction Company & Fort Bend ISD Will Not Guarantee The Accuracy Of The Measurements Or Quantity Of Auction Lot - Current Condition Unknown
39	(Lot) Commercial Plumbing Material	Including: Pipe, Fittings & Misc. - Has Been Sitting Outside For Approx. 1 Year - Bidder Must Review & Agree To Removal Instructions Prior To Bidding - Auction Company & Fort Bend ISD Will Not Guarantee The Accuracy Of The Measurements Or Quantity Of Auction Lot - Current Condition Unknown